



MACON MIDDLE EAST FZE

E180-EW120



E - Integrity
No flames, smoke, gas.
No heat reduction.

EW - Integrity and Radiation Limitation
No flames, smoke, gas.
Limited heat transfer, restricted
to no more than 15kW/m².



This is a certificate of compliance to certify that the bearer has successfully completed the requirements of the above scheme which include the testing of products, the initial assessment, and are subject to continuing annual assessments of their compliance and testing of samples of products taken from production (as applicable to the scheme) and has been registered within the scheme for the products detailed.

Certificate of Compliance

You have been awarded:
WH Service Mark 2014 for Partition
Standards: BS 476 Part 22 (1987), EN 1364-1 (2015)
Certificate number: WHI20 – 34647118

Organization: Macon Middle East FZE
Shed 29#5, Al Hulaila Industrial Zone - FZ
P.O. Box 326046
Ras Al Khaimah
United Arab Emirates

Product: Forster Profilsysteme AG - forster presto/forster prestoXS - Fully Glazed Fixed Partition - EN 1364-1
Spec ID: 47407
Fire Rating: 2 Hour Fire Rated, 3 Hour Fire Rated, 90 Minute Fire Rated, 60 Minute Fire Rated, 30 Minute Fire Rated
Listing Information: See following page(s)

Certification body: Intertek Testing Services NA, Inc.
Initial registration: June 29, 2020
Date of expiry: December 31, 2025
Issue status: 6

Authorized By:
Jean-Philippe Kayl, Director of Certification
Intertek Testing Services NA, Inc.
545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA
Phone: 847-439-5667 Fax: 847-439-7320

www.intertek.com

GLAZED PARTITION WITH INTEGRITY & RADIATION CONTROL	
PROFILE	FORSTER PRESTO /PRESTO XS-STEEL /STAINLESS STEEL
GLASS	CONTRAFLAM LITE,PYROSWISS ,VETROFLAM
RATING	E30-60-90-120-180 /EW30-60-90-120
STANDARD	EN 1634-1

MACON MIDDLE EAST FZE

Al Hulaila Industrial Zone FZ

P.O. Box 326046, Ras Al Khaimah, UAE

Email:- info@macon-me.com

